



EL Class I

Date of issue: 23 July 2026

Valid until: 31 December 2027

EHEDG hereby declares that the product

pressure transmitters: type DMP320P, DMP331P, DMP331Pi, XMP i, x|act i, DCT531P, DCT533P; electronic pressure switches: type DS200P, DS200Pi, DS350P, DS400P, DS400Pi; pressure gauge: type BAROLI 02P

from

BD|SENSORS GmbH, BD Sensors Strasse 1, 95199 THIERSTEIN, Germany

has/have been evaluated for compliance and meets/meet the current criteria for Hygienic Equipment Design of closed process applications of the EHEDG

Certificate No. EHEDG-C2600049

Signed _____ President EHEDG
Hein Timmerman

Signed _____ EHEDG Certification Officer
Karlijn Faber

EHEDG
Karspeldreef 8
1101 CJ Amsterdam
Netherlands

©EHEDG



APPENDIX 3

EHEDG Certification – Equipment Evaluation Form

Design Evaluation Date: 11.03.2026

EHEDG File Number: EHEDG-R2600033

Certification Type: EL CLASS I

Applicant: BD | SENSORS GmbH

Equipment: pressure transmitters: type DMP320P, DMP331P, DMP331Pi, XMP i, x|act i, DCT531P, DCT533P; electronic pressure switches: type DS200P, DS200Pi, DS350P, DS400P, DS400Pi; pressure gauge: type BAROLI 02P

Other essential identification:

Evaluated by:

Name: Dr. Jürgen Hofmann

Date, Signature: 01.07.2026

Approved by:

Name: Andy Timperley, Chairman on behalf of the SubCom Certification

Date, Signature: 23.07.2026,

The use of the EHEDG Certification logo is justified based on the results of the design evaluation, inspection, and testing (as applicable) of the equipment for compliance with the current EHEDG Hygienic Design Criteria (HDC):

Criteria	Certification for use in Closed Processes
☒	The equipment complies with all applicable HDC in the Guidelines.
☐	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2.
☐	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2, in-place sterilisability test method according to EHEDG Doc. 5, and bacteria tightness test according to EHEDG Doc. 7 for EL ASEPTIC Certification.
Criteria	Certification for use in Open Processes
☐	The equipment complies with all applicable HDC in the Guidelines.
☐	Evidence for compliance required and provided by OPC cleanability test method according to EHEDG Doc. 57.

APPENDIX 3

No.	Description
1.	EHEDG Certificate of Compliance
2.	Contract to use the EHEDG Certification Logo for equipment
3.	Appendix 1: Equipment intended for cleaning-in-place with liquids without dismantling
4.	Appendix 2: conditions for use of the EHEDG Certification Logo
5.	Appendix 3: Equipment evaluation form
6.	Evaluation report of the design of the pressure transmitters: type DMP320P, DMP331P, DMP331Pi, XMP i, x act i, DCT531P, DCT533P; electronic pressure switches: type DS200P, DS200Pi, DS350P, DS400P, DS400Pi; pressure gauge: type BAROLI 02P, no. 40526TUM2026
7.	Drawings of the pressure transmitters: type DMP320P, DMP331P, DMP331Pi, XMP i, x act i, DCT531P, DCT533P; electronic pressure switches: type DS200P, DS200Pi, DS350P, DS400P, DS400Pi; pressure gauge: type BAROLI 02P, drawing nos. 7E.650.C61, 54.600.C63, 50.655.M73, 54.010.220 (page 2 of 2), 54.010.300 (page 2 of 2), 54.010.420 (page 2 of 2); original stamped
8.	Cleaning and Installation manual (excerpt) no. BA_xact_E supplied by the manufacturer
9.	Example of EHEDG Certified Logo Type EL CLASS I