

CERTIFICATE OF COMPLIANCE



EL Class I

Date of issue: 22 September 2026

Valid until: 31 December 2027

EHEDG hereby declares that the product

***Kinglai DV stainless steel diaphragm valves with two-piece PTFE diaphragm sizes
DN 20, 25, 40, 50, 65, 80***

from

Kinglai Hygienic Materials Co. Ltd, 22 Lufeng West Road, 215331 LUJIA TOWN, China

*has/have been evaluated for compliance and meets/meet the current criteria for
Hygienic Equipment Design of closed process applications of the EHEDG*

Certificate No. EHEDG-C2600055

Signed _____ *Hein Timmerman* President EHEDG

Signed _____ *Karlijn Faber* EHEDG Certification Officer

***EHEDG
Karspeldreef 8
1101 CJ Amsterdam
Netherlands***

©EHEDG



APPENDIX 3
EHEDG Certification – Equipment Evaluation Form

Design Evaluation Date: 15.02.2026

EHEDG File Number: EHEDG-R2600060

Certification Type: EL CLASS I

Applicant: Kinglai Hygienic Materials Co. Ltd

Equipment: Kinglai DV stainless steel diaphragm valves with two-piece PTFE diaphragm sizes DN 20, 25, 40, 50, 65, 80

Other essential identification:

Evaluated by:

Name: Dr. Shih Rong Huang

Date, Signature: 11.09.2026 *Willy Shih-Rong Huang*

Approved by:

Name: Dr. Alan Friis

Date, Signature: 18.09.2026 *Alan Friis*

The use of the EHEDG Certification logo is justified based on the results of the design evaluation, inspection, and testing (as applicable) of the equipment for compliance with the current EHEDG Hygienic Design Criteria (HDC):

Criteria	Certification for use in Closed Processes
☐	The equipment complies with all applicable HDC in the Guidelines.
☒	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2.
☐	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2, in-place sterilisability test method according to EHEDG Doc. 5, and bacteria tightness test according to EHEDG Doc. 7 for EL ASEPTIC Certification.
Criteria	Certification for use in Open Processes
☐	The equipment complies with all applicable HDC in the Guidelines.
☐	Evidence for compliance required and provided by OPC cleanability test method according to EHEDG Doc. 57.

APPENDIX 3

No.	Description
1	EHEDG Certificate of Compliance
2	Contract to use the EHEDG Certification Logo for equipment
3	Appendix 1: Equipment intended for cleaning in place with liquids without dismantling
4	Appendix 2: Conditions for use of the EHEDG Certification Logo
5	Appendix 3: Equipment evaluation form
6	EHEDG hygienic design criteria evaluation report No. FIRDI 15 02 115.
7	Drawing of the Kinglai DV diaphragm valve with two-piece PTFE diaphragm in sizes DN20, 25, 40, 50, 65, 80: drawing nos.; A1558360TF0002504K; C15580A0TF00025006; H15583004F00007502; H15583004F00010002; H15583004F00015002; H15583004F00020002; H15FB58M4F00000002; H15FB58M4F00000001; original stamped
8	Test report report no. A-115-02-15 from FIRDI (Taiwan)
9	Cleaning and Installation manual no. DV-01-2026V1 supplied by the manufacturer
10	Example of the EHEDG Certified Logo Type EL CLASS I