CERTIFICATE OF COMPLIANCE

EL Class I

Date of issue: 4 November 2026

Valid until: 31 December 2027

EHEDG hereby declares that the product

Promag H and Dosimag electromagnetic flowmeter DN02, DN04, DN08, DN15, DN25, DN40, DN50, DN65, DN80, DN100, DN125 and DN150 with PFA liner and EPDM and FKM gaskets

from

Endress Hauser Flowtec AG, Christoph Merian-Ring 4, 4153 Reinach, Switzerland

has/have been evaluated for compliance and meets/meet the current criteria for Hygienic Equipment Design of closed process applications of the EHEDG

Certificate No. EHEDG-C2600067

Signed _____ *President EHEDG*
Hein Timmerman

Signed _____ *EHEDG Certification Officer*
Karlijn Faber

EHEDG
Karspeldreef 8
1101 CJ Amsterdam
Netherlands

©EHEDG

APPENDIX 3
EHEDG Certification – Equipment Evaluation Form

Design Evaluation Date: 25.08.2025

EHEDG File Number: EHEDG-R2500008

Certification Type: EL CLASS I

Applicant: Endress+Hauser Flowtec AG, Reinach BL, Switzerland

Equipment: Promag H and Dosimag electromagnetic flowmeter DN02, DN04, DN08, DN15, DN25, DN40, DN50, DN65, DN80, DN100, DN125 and DN150 with PFA liner and EPDM and FKM gaskets

Other essential identification:

Evaluated by:

Name: Dr. Alan Friis

Date, Signature: 16.10.2026

Approved by:

Name: Dr. Jürgen Hofmann

Date, Signature: 30.10.2026

The use of the EHEDG Certification logo is justified based on the results of the design evaluation, inspection, and testing (as applicable) of the equipment for compliance with the current EHEDG Hygienic Design Criteria (HDC):

Criteria	Certification for **use in Closed Processes**
☐	The equipment complies with all applicable HDC in the Guidelines.
☒	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2.
☐	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2, in-place sterilisability test method according to EHEDG Doc. 5, and bacteria tightness test according to EHEDG Doc. 7 for **EL ASEPTIC** Certification.
Criteria	Certification for **use in Open Processes**
☐	The equipment complies with all applicable HDC in the Guidelines.
☐	Evidence for compliance required and provided by OPC cleanability test method according to EHEDG Doc. 57.

The original of this form will be kept by EHEDG together with the application, the evaluation report, the evidence provided and any other relevant documentation, as listed on the back.

APPENDIX 3

No.	Description
1.	EHEDG Certificate of Compliance
2.	Contract to use the EHEDG certification logo
3.	Appendix 1: Equipment intended for cleaning in place with liquids without dismantling
4.	Appendix 2: Conditions for use of the EHEDG certification logo
5.	Appendix 3: Equipment evaluation form
6.	EHEDG Hygienic Design Criteria Evaluation Report FORCE DR 2026 125-23719
7.	Orignal drawings: 961003198 A_000 sheet 1-2 (Promag H), 961003377 A_000 sheet 1-4 (Dosimag) 961003206 A_000 sheet 1-3 (tube with liner), 961003208 A_000 sheet 1-2, 961003231 A_000 (gasket), 961003207 A_000 sheet 1-2 (electrodes)
8.	Extract of installation manuals Promag H 500 TI01225D/06/EN/12.26-00 71756800 2026-04-01
9.	Test reports PP742_TNO report 2015 R10511 and TNO 2012 R11307
10.	Example of the EHEDG Certification Logo Type EL Class I