SAK OF COMPLIANC



Date of issue: 21 September 2018

Valid until: 31 December 2020

EL Class I

EHEDG hereby declares that the product

DynaShear inline mixer, models DS-425, DS-575 with FKM cover gasket, PTFE rotor gaskets, and HNBR Lip-o-Rings(R) in SiC-SiC/TC-C mechanical seal by Huhnseal AB

from

Admix, Inc., 144 Harvey Road, 03053 Londonderry, NH, United States

has/have been evaluated for compliance and meets/meet the current criteria for Hygienic Equipment Design of the EHEDG

Certificate No. EHEDG-C1800042

Signed ______ President EHEDG

Signed ______ EHEDG Certification Officer

Mirjam Steenaard

EHEDG Secretariat Lyoner Straße 18 60528 Frankfurt am Main Germany

©EHEDG



Appendix 3

EHEDG Certification – Equipment Evaluation Form

	Date: 16/7/18 EHEDG File Number: Certification Type:	EHEDG-C1800042 EL Class I
Applicant: Admix, Inc.	Jordingation Typo.	
Equipment: Dynashear, inline mixer		
Type or model No/s.: DS-425, DS-575		
Other essential identification: FKM cover gaske Lip-o-Rings(R) in SiC-SiC/TC-C mechanica	n	
Evaluated by: Mark Morgan		
Approved by: Jacques Kastelein		
Title: [AEO / Vice-/Chairman of the WG Centifica Date, Signature: 17/7//	tion] AEO	
 Results of inspection for compliance with the Criteria. Conclusion: 	e EHEDG Hygienic Des	
The equipment complies with the criteria The use of the EHEDG Certification logo		YES MAYBEV
 Evidence for compliance provided and conv Conclusion: 	incing for Certification.	
The equipment complies with the criteria The use of the EHEDG Certification logo		YES 🔽
Signature: Man	1 Moya	
Date: 16/7/18		

The original of this form will be kept by EHEDG together with the application, the inspection report, the evidence provided and any other relevant documentation, as listed on the back.

Appendix 3

No.	Description	
1.	EHEDG Certificate of Conformance	
2.	Contract to use the EHEDG Certification Logo for equipment	
3.	Appendix 1: Equipment intended for cleaning with liquids	
4.	Appendix 2: Conditions for use of the EHEDG Certification logo	
5.	Appendix 3: Equipment evaluation form	
6.	Evaluation report (UTE-070118) of the design: Dynashear, models DS-425 and DS-575 with FKM cover gasket, PTFE rotor gaskets, and HNBR Lip-o-Ring(R) in SiC-SiC/TC-C mechanical seal by Huhnseal AB.	
7.	Drawings of the Dynashear, DS-425 and DS-575. Drawing Nos: DS-425 HS EHEDG, DS2001-EH-RW, DS2002-EH, DS2015, DS2003-EH-RW, DS2004-EH, 16278-90; DS-575 HS EHEDG, DS5001-EH-RW, DS5002-EH, DS5003-EH-RW, DS5004-EH, 18579-90, stamped and signed originals.	
8.	Test report of the in-place cleanability test method, No. UTR-061518	
9.	Example of the EHEDG Certified Logo Type EL Class I	
	29/10	