



Date of issue: 18 June 2019

Valid until: 31 December 2020

EL Class I AUX

EHEDG hereby declares that the product

hermetically sealed single point load cell with stainless steel housing, type PW27A / PW27AP with EPDM gasket and M12 plug/connector

from

Hottinger Baldwin Messtechnik GmbH, Im Tiefen See 45 , 64293 Darmstadt, Germany

*has/have been evaluated for compliance and meets/meet the current criteria for
Hygienic Equipment Design of the EHEDG*

Certificate No. EHEDG-C1800059

Signed  President EHEDG
Ludvig Joesefsberg

Signed  EHEDG Certification Officer
Mirjam Steenaard

*EHEDG Secretariat
Lyoner Straße 18
60528 Frankfurt am Main
Germany*

©EHEDG



Appendix 3

EHEDG Certification – Equipment Evaluation Form

Date: 26.03.2019

EHEDG File Number: EHEDG-C1800059

Certification Type: EL CLASS I AUX

Applicant: Hottinger Baldwin Messtechnik GmbH

Equipment: hermetically sealed single point load cell with stainless steel housing

Type or model No/s.: PW27A / PW27AP with EPDM gasket and M12 plug/connector

Other essential identification:

Evaluated by:

Name: Dr. Jürgen Hofmann

Approved by:

Name: Andy Timperley , on behalf of the Working Group Certification

Title: [AEO / Chairman of the WG Certification]

Date, Signature: 24.06.2019 

1. Results of inspection for compliance with the EHEDG Hygienic Design Criteria.

Conclusion:

The equipment complies with the criteria.

The use of the EHEDG Certification logo is justified:

YES ☒

MAYBE ☐

2. Evidence for compliance provided and convincing for Certification.

Conclusion:

The equipment complies with the criteria where possible.

The use of the EHEDG Certification logo is justified:

YES ☐

Signature: 

Date: 18.06.2019

The original of this form will be kept by EHEDG together with the application, the inspection report, the evidence provided and any other relevant documentation, as listed on the back.

Appendix 3

No.	Description
1.	EHEDG Certificate of Compliance
2.	Contract to use the EHEDG Certification Logo for equipment
3.	Appendix 1: Auxiliary Equipment intended for open plant cleaning with liquids without dismantling
4.	Appendix 2: conditions for use of the EHEDG Certification Logo
5.	Appendix 3: Equipment evaluation form
6.	Evaluation report of the design of the hermetically sealed single point load cell with stainless steel housing, type PW27A / PW27AP with EPDM gasket and M12 plug/connector, no. 10219TUM2019
7.	Drawings of the hermetically sealed single point load cell with stainless steel housing, type PW27A / PW27AP with EPDM gasket and M12 plug/connector, drawing nos. SD 18.09.04/1, SD 18.12.20/1, SD 18.12.20/2; original stamped
8.	Cleaning and Installation manual provided by the equipment supplier
9.	Example of EHEDG Certified Logo Type EL CLASS I AUX