

CERTIFICATE OF COMPLIANCE



EL Class I AUX

Date of issue: 23 April 2024

Valid until: 31 December 2025

EHEDG hereby declares that the product

Cable gland, type Cleanplus HTS and Cleanplus HTS TRI with silicone gasket in sizes M12 – M32 (specific range included)

from

Pflitsch GmbH & Co. KG, Ernst-Pflitsch-Straße 1, 42499 Hückeswagen, Germany

has/have been evaluated for compliance and meets/meet the current criteria for Hygienic Equipment Design of the EHEDG

Certificate No. EHEDG-C2400014

Signed _____ *Hein Timmerman* _____ *President EHEDG*

Signed _____ *Karlijn Faber* _____ *EHEDG Certification Officer*

EHEDG
Karspeldreef 8
1101 CJ Amsterdam
Netherlands

©EHEDG

Appendix 3

EHEDG Certification – Equipment Evaluation Form

Design Evaluation Date: 27.02.2024

EHEDG File Number: EHEDG-R2400012

Certification Type: EL CLASS I AUX

Applicant: Pflitsch GmbH & Co. KG

Equipment: Cable gland, type Cleanplus HTS and Cleanplus HTS TRI with silicone gasket in sizes M12 – M32 (specific range included)

Other essential identification: certified versions see table on page 3


Evaluated by:

Name: Dr. Jürgen Hofmann

Approved by:

Name: Andy Timperley, on behalf of the SubCom Certification

Title: AEO, Chairman of the WG Certification

Date, Signature: 19.04.2024, 

1. Results of inspection for compliance with the EHEDG Hygienic Design Criteria.

Conclusion:

The equipment complies with the criteria.

YES

The use of the EHEDG Certification logo is justified:

MAYBE

2. Evidence for compliance provided and convincing for Certification.

Conclusion:

The equipment complies with the criteria where possible.

YES

The use of the EHEDG Certification logo is justified:

Signature:



Date: 26.03.2024

The original of this form will be kept by EHEDG together with the application, the inspection report, the evidence provided and any other relevant documentation, as listed on the back.

Appendix 3

| No. | Description |
|-----|--|
| 1. | EHEDG Certificate of Compliance |
| 2. | Contract to use the EHEDG Certification Logo for equipment |
| 3. | Appendix 1: Auxiliary Equipment intended for open plant cleaning with liquids without dismantling |
| 4. | Appendix 2: conditions for use of the EHEDG Certification Logo |
| 5. | Appendix 3: Equipment evaluation form |
| 6. | Evaluation report of the design of the Cable gland, type Cleanplus HTS and Cleanplus HTS TRI with silicone gasket in sizes M12 – M32 (specific range included), no. 40224TUM2024 |
| 7. | Drawings of the Cable gland, type Cleanplus HTS and Cleanplus HTS TRI with silicone gasket in sizes M12 – M32 (specific range included), drawing nos. 312037, 314677, 290275, 284602, 250100; original stamped |
| 8. | Cleaning and Installation manual “Operating Instructions Cleanplus 10.2023” supplied by the manufacturer |
| 9. | Example of EHEDG Certified Logo Type EL CLASS I AUX |

Appendix 3

List of product types included in the certificate:

| Article number | Sealing range | |
|--------------------|---------------|------|
| | max. | min. |
| cp 212VA 4 HTS | 4,5 | 3,5 |
| cp 212VA 4 HTS tri | 4,5 | 3,5 |
| cp 212VA 5 HTS | 5,0 | 4,0 |
| cp 212VA 5 HTS tri | 5,0 | 4,0 |
| cp 212VA 6 HTS | 6,0 | 5,0 |
| cp 212VA 6 HTS tri | 6,0 | 5,0 |
| cp 212VA 7 HTS | 7,0 | 6,0 |
| cp 212VA 7 HTS tri | 7,0 | 6,0 |
| cp 216VA 8 HTS | 7,5 | 5,5 |
| cp 216VA 8 HTS tri | 7,5 | 5,5 |
| cp 216VA 9 HTS | 8,5 | 6,5 |
| cp 216VA 9 HTS tri | 8,5 | 6,5 |
| cp 220VA 9 HTS | 9,5 | 7,5 |
| cp 220VA 9 HTS tri | 9,5 | 7,5 |
| cp 220VA10 HTS | 10,5 | 8,0 |
| cp 220VA10 HTS tri | 10,5 | 8,0 |
| cp 220VA11 HTS | 11,0 | 9,5 |
| cp 220VA11 HTS tri | 11,0 | 9,5 |
| cp 220VA12 HTS | 12,0 | 10,0 |
| cp 220VA12 HTS tri | 12,0 | 10,0 |
| cp 225VA12 HTS | 13,0 | 11,0 |
| cp 225VA12 HTS tri | 13,0 | 11,0 |
| cp 225VA13 HTS | 13,0 | 12,0 |
| cp 225VA13 HTS tri | 13,0 | 12,0 |
| cp 225VA14 HTS | 14,0 | 13,0 |
| cp 225VA14 HTS tri | 14,0 | 13,0 |
| cp 225VA15 HTS | 15,0 | 14,0 |
| cp 225VA15 HTS tri | 15,0 | 14,0 |
| cp 225VA16 HTS | 16,0 | 15,0 |
| cp 225VA16 HTS tri | 16,0 | 15,0 |
| cp 225VA17 HTS | 17,0 | 16,0 |
| cp 225VA17 HTS tri | 17,0 | 16,0 |
| cp 225VA18 HTS | 18,0 | 17,0 |
| cp 225VA18 HTS tri | 18,0 | 17,0 |
| cp 232VA18 HTS | 18,5 | 16,0 |
| cp 232VA18 HTS tri | 18,5 | 16,0 |
| cp 232VA19 HTS | 19,5 | 17,0 |
| cp 232VA19 HTS tri | 19,5 | 17,0 |
| cp 232VA20 HTS | 20,5 | 17,5 |
| cp 232VA20 HTS tri | 20,5 | 17,5 |
| cp 232VA21 HTS | 21,5 | 18,5 |
| cp 232VA21 HTS tri | 21,5 | 18,5 |
| cp 232VA22 HTS | 22,0 | 19,0 |
| cp 232VA22 HTS tri | 22,0 | 19,0 |
| cp 232VA23 HTS | 23,0 | 20,0 |
| cp 232VA23 HTS tri | 23,0 | 20,0 |