CAKE, OF COMPLIANS

EHEDG how



Date of issue: 8 October 2024

Valid until: 31 December 2025

EHEDG hereby declares that the product

conductivity meters, type ILM-4 and ILM-4R made of PEEK with CLEANadapt "G1" hygienic (Code "S01")

from

Negele Messtechnik GmbH, Raiffeisenweg 7, 87743 Egg an der Günz, Germany

has/have been evaluated for compliance and meets/meet the current criteria for Hygienic Equipment Design of closed process applications of the EHEDG

Certificate No. EHEDG-C2400046

Signed President EHEDG
Hein Timmerman

Signed ______ EHEDG Certification Officer Karlijn Faben

EHEDG Karspeldreef 8 1101 CJ Amsterdam Netherlands

©EHEDG



APPENDIX 3 EHEDG Certification – Equipment Evaluation Form

Design Evaluation Date: 12.01.2024

EHEDG File Number: EHEDG-R2400047

Certification Type: EL CLASS I

Applicant: Negele Messtechnik GmbH

Equipment: conductivity meters, type ILM-4 and ILM-4R made of PEEK with CLEANadapt "G1" hygienic (Code "S01")

Other essential identification: process adapter DIN 32676 in sizes DN40, DN50, DN65 and 1

½", 2", 2 ½, 3" (Code "AMC-351") and VARINLINE type N in size DN40 and F in size DN25 (Codes "AMV-351/DN40" and "AMV-351/DN25"), weld-in adapter (Codes "EMS-351" and "EMZ-351"), build-in system (Code "EHG-DIN2-xx/1"-L)

Evaluated by:

Name: Dr. Jürgen Hofmann

Date, Signature: 27.09.2024

Approved by:

Name: Jacques Kastelein

Date, Signature:

The use of the EHEDG Certification logo is justified based on the results of the design evaluation, inspection, and testing (as applicable) of the equipment for compliance with the current EHEDG Hygienic Design Criteria (HDC):

Criteria	Certification for use in Closed Processes
	The equipment complies with all applicable HDC in the Guidelines.
\boxtimes	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2.
	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2, in-place sterilisability test method according to EHEDG Doc. 5, and bacteria tightness test according to EHEDG Doc. 7 for EL ASEPTIC Certification.
Criteria	Certification for use in Open Processes
	The equipment complies with all applicable HDC in the Guidelines.
	Evidence for compliance required and provided by OPC cleanability test method according to EHEDG Doc. 57.

The original of this form will be kept by EHEDG together with the application, the evaluation report, the evidence provided and any other relevant documentation, as listed on the back.





APPENDIX 3

No.	Description
1.	EHEDG Certificate of Compliance
2.	Contract to use the EHEDG Certification Logo for equipment
3.	Appendix 1: Equipment intended for cleaning-in-place with liquids without dismantling
4.	Appendix 2: conditions for use of the EHEDG Certification Logo
5.	Appendix 3: Equipment evaluation form
6.	Evaluation report of the design of the conductivity meters, type ILM-4 and ILM-4R made of PEEK with CLEANadapt "G1" hygienic (Code "S01"), no. 610TUM2024
7.	Drawings of the conductivity meters, type ILM-4 and ILM-4R made of PEEK with CLEANadapt "G1" hygienic (Code "S01"), Drawing nos. B57.774110/20, B537135xx-E, B53-71353x-C, 60xx-0305, B53.713541-B, B53.713548-C; original stamped
8.	Test report of the in-place cleanability test method according to Doc. 2, Test no. 610/07.11.2017.
9.	Cleaning and Installation manual nos.50144/1.2.3/2024-08-20/AS and 50000/5.0.1/2024-08-20/MH/NA-EU supplied by the manufacturer
10.	Example of EHEDG Certified Logo Type EL CLASS I