EHEDG her



Date of issue: 29 October 2024

Valid until: 31 December 2025

EHEDG hereby declares that the product

Temperature sensors: CombiTemp TFRH and Hygienic compact RTD: PT20H, PT55H and TE2

from

Baumer, Runetoften 19, DK-8210 Aarhus V, Denmark

has/have been evaluated for compliance and meets/meet the current criteria for Hygienic Equipment Design of closed process applications of the EHEDG

Certificate No. EHEDG-C2400055

Karlijn Faber

EHEDG Karspeldreef 8 1101 CJ Amsterdam Netherlands

©EHEDG



APPENDIX 3 EHEDG Certification – Equipment Evaluation Form

Design Evaluation Date: 04.03.2024

EHEDG File Number: EHEDG-R2400066

Certification Type: EL CLASS I

Applicant: Baumer A/S, Runetoften 19, DK-8210 Aarhus V

Equipment: Temperature sensors: CombiTemp TFRH and Hygienic compact RTD: PT20H,

PT55H and TE2

Other essential identification:

Adaptors: Sensor type

TFRH-XXXX.XXXX.XX60.0XXX.XXXX BHC 3A DN38

TFRH-XXXX.XXXX.XX64.0XXX.XXXX Mini Clamp (Tri-Clamp) TFRH-XXXX.XXXX.XX65.0XXX.XXXX DN38 Clamp (Tri-Clamp)

TFRH-XXXX.XXXX.XX66.0XXX.XXXX DN51 Clamp (Tri-Clamp)

TFRH-XXXX.XXXX.XX70.0XXX.XXXX Varivent Type N

PT20H-B010.YXXX2XX.2X0003X.XXXX BHC 3A DN38

PT20H-C040.YXXX2XX.2X0003X.XXXX DN38 Clamp (Tri-Clamp)

PT55H DN38 Clamp (Tri-Clamp), BHC 3A (DN38 &

DN76), Varivent Type N

TE2-x.B.XXXX.XXXXXX BHC 3A DN38

TE2-x.9.XXXX.XXXXXX DN38 Clamp (Tri-Clamp)

Evaluated by:

Name: Alan Friis

Olen Siis Date, Signature: 17.10.2024

Approved by:

Name: Andy Timperley of behalf of SubCom Certification

Date, Signature: 28.10.2024



The use of the EHEDG Certification logo is justified based on the results of the design evaluation, inspection, and testing (as applicable) of the equipment for compliance with the current EHEDG Hygienic Design Criteria (HDC):

Criteria	Certification for use in Closed Processes
\boxtimes	The equipment complies with all applicable HDC in the Guidelines.
	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2.
	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2, in-place sterilisability test method according to EHEDG Doc. 5, and bacteria tightness test according to EHEDG Doc. 7 for EL ASEPTIC Certification.
Criteria	Certification for use in Open Processes
	The equipment complies with all applicable HDC in the Guidelines.
	Evidence for compliance required and provided by OPC cleanability test method according to EHEDG Doc. 57.



APPENDIX 3

No.	Description
1.	EHEDG Certificate of Compliance
2.	Contract to use the EHEDG certification logo
3.	Appendix 1: Equipment intended for cleaning in place with liquids without dismantling
4.	Appendix 2: Conditions for use of the EHEDG certification logo
5.	Appendix 3: Equipment evaluation form
6.	EHEDG Hygienic Design Criteria Evaluation Report FORCE CHD DR 2024 124-31179
7.	Overview drawing of the sensors 81380383 4 pages (TFRH with DN38 Clamp, TFRH with BHC connection and PT20H with BHC connection), TFRH Tri-Clamp, 11262227 2 pages (Tri-Clamp and Mini-Clamp)), TE2-DN38 Clamp / BHC
8.	Installation and mounting instructions
9.	Example of the EHEDG Certification Logo Type EL Class I