

Date of issue: 17 June 2025

Valid until: 31 December 2026

EHEDG hereby declares that the product

Pump HYCARETM with EPDM gaskets, NBR stator and Sic/Sic mechanical seal (range 6HY12-EH/ 6HY24-EH / 13HY6-EH / 13HY12-EH / 3HY24-EH)

from

PCM EUROPE SAS, 1 rue René Moineau, 49123 CHAMPTOCE SUR LOIRE, France

has/have been evaluated for compliance and meets/meet the current criteria for Hygienic Equipment Design of closed process applications of the EHEDG

Certificate No. EHEDG-C2500027

Signed _

Hein Timmet

Karlijn Faber

_ President EHEDG

Signed

_____ EHEDG Certification Officer

EHEDG Karspeldreef 8 1101 CJ Amsterdam *Netherlands*

©EHEDG



APPENDIX 3 EHEDG Certification – Equipment Evaluation Form

Design Evaluation Date: 26.05.2025 EHEDG File Number: R2400048 Certification Type: EL CLASS I

Applicant: [PCM EUROPE SAS]

Equipment: Pump HYCARE[™] with EPDM gaskets, NBR stator and Sic/Sic mechanical seal (range 6HY12-EH/ 6HY24-EH / 13HY6-EH / 13HY12-EH / 3HY24-EH)

Other essential identification: 150 rpm (minimum)

Evaluated by:

Name: [Dr Nicolas ROSSI]

Date, Signature:	06/06/2025	NROSSA
, 0 –		

Approved by:

Name: [AEO-Dr Jürgen Hofmann]

Date, Signature: 6.6.2025 1. Hopm

The use of the EHEDG Certification logo is justified based on the results of the design evaluation, inspection, and testing (as applicable) of the equipment for compliance with the current EHEDG Hygienic Design Criteria (HDC):

Criteria	Certification for use in Closed Processes
	The equipment complies with all applicable HDC in the Guidelines.
	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2.
	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2, in-place sterilisability test method according to EHEDG Doc. 5, and bacteria tightness test according to EHEDG Doc. 7 for EL ASEPTIC Certification.
Criteria	Certification for use in Open Processes
	The equipment complies with all applicable HDC in the Guidelines.
	Evidence for compliance required and provided by OPC cleanability test method according to EHEDG Doc. 57.



APPENDIX 3

No.	Description
1	EHEDG Certificate of Compliance
2	Contract to use the EHEDG Certification Logo for equipment
3	Appendix 1: Equipment intended for cleaning-in-place with liquids without Dismantling
4	Appendix 2: conditions for use of the EHEDG Certification Logo
5	Appendix 3: Equipment evaluation form
6	Evaluation report of the design of the : Pump HYCARE [™] with EPDM gaskets, NBR stator and Sic/Sic mechanical seal (range 6HY12-EH/ 6HY24-EH / 13HY6-EH / 13HY12-EH / 3HY24-EH) ,no. IN301 Rev 24-09-18
7	Pump HYCARE [™] with EPDM gaskets, NBR stator and Sic/Sic mechanical seal (range 6HY12-EH/ 6HY24-EH / 13HY6-EH / 13HY12-EH / 3HY24-EH) drawing no. M 002762; original stamped
8	Test report of the in-place cleanability test method, no. TUM 263/10.09.2010
9	Installation and Cleaning manual supplied by the manufacturer (NIPM HY104FR)
10	Example of EHEDG Certified Logo Type EL CLASS I