

CERTIFICATE OF COMPLIANCE



EL Class I

Date of issue: 1 September 2025

Valid until: 31 December 2026

EHEDG hereby declares that the product

Micro Motion G series Coriolis Flow and Density meters, models G025, G050, G100, G150, G200, G300 with standard (concentric) fittings and G100, G150, G200, G300 with eccentric fittings

from

Emerson Micro Motion Inc, 7070 Winchester Cr. , 80301 Boulder, United States

has/have been evaluated for compliance and meets/meet the current criteria for Hygienic Equipment Design of closed process applications of the EHEDG

Certificate No. EHEDG-C2500038

Signed _____ *Hein Timmerman* President EHEDG

Signed _____ *Karlijn Faber* EHEDG Certification Officer

EHEDG
Karspeldreef 8
1101 CJ Amsterdam
Netherlands

©EHEDG



APPENDIX 3 EHEDG Certification – Equipment Evaluation Form

Design Evaluation Date: 28.07.2025

EHEDG File Number: EHEDG-R2500055

Certification Type: EL CLASS I

Applicant: Emerson Flow Measurement 7070 Winchester Cr. Boulder, CO 80301, USA

Equipment: **Micro Motion G-series Coriolis Flow meters, models G025, G050, G100, G150, G200, G300 with standard (concentric) fittings and G100, G150, G200, G300 with eccentric fittings**

Other essential identification:

Evaluated by:

Name: Mark Morgan

Date, Signature: 07/28/2025 Mark T Morgan

Approved by:

Name: Alan Friis

Date, Signature: 08/21/2025 Alan Friis

The use of the EHEDG Certification logo is justified based on the results of the design evaluation, inspection, and testing (as applicable) of the equipment for compliance with the current EHEDG Hygienic Design Criteria (HDC):

Criteria	Certification for use in Closed Processes
<input type="checkbox"/>	The equipment complies with all applicable HDC in the Guidelines.
<input checked="" type="checkbox"/>	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2.
<input type="checkbox"/>	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2, in-place sterilisability test method according to EHEDG Doc. 5, and bacteria tightness test according to EHEDG Doc. 7 for EL ASEPTIC Certification.
Criteria	Certification for use in Open Processes
<input type="checkbox"/>	The equipment complies with all applicable HDC in the Guidelines.
<input type="checkbox"/>	Evidence for compliance required and provided by OPC cleanability test method according to EHEDG Doc. 57.

The original of this form will be kept by EHEDG together with the application, the evaluation report, the evidence provided and any other relevant documentation, as listed on the back.

APPENDIX 3

No.	Description
1.	EHEDG Certificate of Compliance
2.	Contract to use the EHEDG certification logo
3.	Appendix 1: Equipment intended for cleaning in place with liquids without dismantling
4.	Appendix 2: Conditions for use of the EHEDG certification logo
5.	Appendix 3: Equipment evaluation form
6.	EHEDG Hygienic Design Criteria Evaluation Report UTE-072825
7.	Original drawings: EB-20100028.Rev13; EB-20105117.Rev9; EB-20105118.Rev10; MMI-20105129.RevAD; MMI-20105088.RevAD; MMI-20105098.RevAE; MMI-20105102.RevAG
8.	Test reports: UTR-061625 and UTR-071525
9.	Cleaning requirement and installation from manual (extract)
10.	Example of the EHEDG Certification Logo Type EL Class I