

CERTIFICATE OF COMPLIANCE



EL Class I

Date of issue: 29 September 2025

Valid until: 31 December 2026

EHEDG hereby declares that the product

pH-sensor, type InPro X1 HLS-*200-*, InPro X1 SLS-*200-****, and InPro X1 GLS-*200-****, with process connection InFit 761 VARINLINE (straight and inclined)***

from

Mettler Toledo GmbH, Im Hackacker 15 , 8902 Urdorf, Switzerland

has/have been evaluated for compliance and meets/meet the current criteria for Hygienic Equipment Design of closed process applications of the EHEDG

Certificate No. EHEDG-C2500041

Signed _____ *Hein Timmerman* President EHEDG

Signed _____ *Karlijn Faber* EHEDG Certification Officer

EHEDG
Karspeldreef 8
1101 CJ Amsterdam
Netherlands

©EHEDG



APPENDIX 3

EHEDG Certification – Equipment Evaluation Form

Design Evaluation Date: 18.02.2025

EHEDG File Number: EHEDG-R2500007

Certification Type: EL CLASS I

Applicant: Mettler-Toledo GmbH

Equipment: pH-sensor, type InPro X1 HLS-*200-****, InPro X1 SLS-*200-****, and InPro X1 GLS-*200-****, with process connection InFit 761 VARINLINE (straight and inclined)

Other essential identification:

Evaluated by:

Name: Dr. Jürgen Hofmann

Date, Signature: 02.09.2025

Approved by:

Name: Kiichiro Saito

Date, Signature: 12.09.2025

The use of the EHEDG Certification logo is justified based on the results of the design evaluation, inspection, and testing (as applicable) of the equipment for compliance with the current EHEDG Hygienic Design Criteria (HDC):

Criteria	Certification for use in Closed Processes
<input type="checkbox"/>	The equipment complies with all applicable HDC in the Guidelines.
<input checked="" type="checkbox"/>	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2.
<input type="checkbox"/>	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2, in-place sterilisability test method according to EHEDG Doc. 5, and bacteria tightness test according to EHEDG Doc. 7 for EL ASEPTIC Certification.
Criteria	Certification for use in Open Processes
<input type="checkbox"/>	The equipment complies with all applicable HDC in the Guidelines.
<input type="checkbox"/>	Evidence for compliance required and provided by OPC cleanability test method according to EHEDG Doc. 57.

APPENDIX 3

No.	Description
1.	EHEDG Certificate of Compliance
2.	Contract to use the EHEDG Certification Logo for equipment
3.	Appendix 1: Equipment intended for cleaning-in-place with liquids without dismantling
4.	Appendix 2: conditions for use of the EHEDG Certification Logo
5.	Appendix 3: Equipment evaluation form
6.	Evaluation report of the design of the pH-sensor, type InPro X1 HLS-*200-****, InPro X1 SLS-*200-****, and InPro X1 GLS-*200-****, with process connection InFit 761 VARINLINE (straight and inclined), no. 20825TUM2025
7.	Drawings of the pH-sensor, type InPro X1 HLS-*200-****, InPro X1 SLS-*200-****, and InPro X1 GLS-*200-****, with process connection InFit 761 VARINLINE (straight and inclined), drawing nos. D000195848 Rev. C, D000629566 Rev. A, 52400500, 30409132, 30398703, 30398674; original stamped
8.	Test report of the in-place cleanability test method according to Doc. 2, Test no. 17-P00036.
9.	Cleaning and Installation manual nos. 30 467 449 C and 52 403 547 O supplied by the manufacturer
10.	Example of EHEDG Certified Logo Type EL CLASS I