

CERTIFICATE OF COMPLIANCE



EL Class I

Date of issue: 2 December 2025

Valid until: 31 December 2026

EHEDG hereby declares that the product

viscosity sensors, type SRV (welded process connection) or type SRV-X1-G12 with G1/2" thread connection and weld-in adapter, type HAW-12G-OTK and FKM O-ring

from

Rheonics GmbH, Zuercherstrasse 39-41, 8400 Winterthur, Switzerland

has/have been evaluated for compliance and meets/meet the current criteria for Hygienic Equipment Design of closed process applications of the EHEDG

Certificate No. EHEDG-C2500050

Signed _____ *Hein Timmerman* President EHEDG

Signed _____ *Karlijn Faber* EHEDG Certification Officer

EHEDG
Karspeldreef 8
1101 CJ Amsterdam
Netherlands

©EHEDG



APPENDIX 3

EHEDG Certification – Equipment Evaluation Form

Design Evaluation Date: 03.07.2025

EHEDG File Number: EHEDG-R2500073

Certification Type: EL CLASS I

Applicant: Rheonics GmbH

Equipment: viscosity sensors, type SRV (welded process connection) or type SRV-X1-G12 with G1/2" thread connection and weld-in adapter, type HAW-12G-OTK and FKM O-ring

Other essential identification:

Evaluated by:

Name: Dr. Jürgen Hofmann

Date, Signature: 19.11.2025

Approved by:

Name: Kiichiro Saito

Date, Signature: 25.11.2025

The use of the EHEDG Certification logo is justified based on the results of the design evaluation, inspection, and testing (as applicable) of the equipment for compliance with the current EHEDG Hygienic Design Criteria (HDC):

Criteria	Certification for use in Closed Processes
<input type="checkbox"/>	The equipment complies with all applicable HDC in the Guidelines.
<input checked="" type="checkbox"/>	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2.
<input type="checkbox"/>	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2, in-place sterilisability test method according to EHEDG Doc. 5, and bacteria tightness test according to EHEDG Doc. 7 for EL ASEPTIC Certification.
Criteria	Certification for use in Open Processes
<input type="checkbox"/>	The equipment complies with all applicable HDC in the Guidelines.
<input type="checkbox"/>	Evidence for compliance required and provided by OPC cleanability test method according to EHEDG Doc. 57.

APPENDIX 3

No.	Description
1.	EHEDG Certificate of Compliance
2.	Contract to use the EHEDG Certification Logo for equipment
3.	Appendix 1: Equipment intended for cleaning-in-place with liquids without dismantling
4.	Appendix 2: conditions for use of the EHEDG Certification Logo
5.	Appendix 3: Equipment evaluation form
6.	Evaluation report of the design of the viscosity sensors, type SRV (welded process connection) or type SRV-X1-G12 with G1/2" thread connection and weld-in adapter, type HAW-12G-OTK and FKM O-ring, no. 813TUM2025
7.	Drawings of the viscosity sensors, type SRV (welded process connection) or type SRV-X1-G12 with G1/2" thread connection and weld-in adapter, type HAW-12G-OTK and FKM O-ring, drawing nos. 10216, 10218, 11334, 12469, 12501, 11675, 27083 A/A page 1; original stamped
8.	Test report of the in-place cleanability test method according to Doc. 2, Test no. 813/25.07.2025.
9.	Cleaning and Installation manual (excerpt) no. SR/EHEDG/IG-2025-11 Rev-C, supplied by the manufacturer
10.	Example of EHEDG Certified Logo Type EL CLASS I