

CERTIFICATE OF COMPLIANCE



EL Class I

Date of issue: 1 June 2026
Valid until: 31 December 2027

EHEDG hereby declares that the product

Diaphragm sealed pressure sensor types: 0560-25 or 40-1-x-x, 0564-25, 32, 40, 50 or 801-x-x and 0568-33, 48, 59, 75 or 88-1-x-x.

from

*Pakkens Yedek Parca ve Makine San. ve Tic. A.S., Minarelicavus Bursa OSB Mah. Sari Cad.
No:50 Nilufer, 16140 Bursa, Turkey*

*has/have been evaluated for compliance and meets/meet the current criteria for
Hygienic Equipment Design of closed process applications of the EHEDG*

Certificate No. EHEDG-C2600043

Signed _____ *Hein Timmerman* _____ *President EHEDG*

Signed _____ *Karlijn Faber* _____ *EHEDG Certification Officer*

*EHEDG
Karspeldreef 8
1101 CJ Amsterdam
Netherlands*

©EHEDG



APPENDIX 3 EHEDG Certification – Equipment Evaluation Form

Design Evaluation Date: 10.05.2026

EHEDG File Number: EHEDG- R2500085

Certification Type: EL CLASS I


Applicant: Pakkens Yedek Parca ve Makine San. ve Tic. A. Ş., Minarelicavus Bursa Osb Mh. Sari Cd. No:50 Nilufer, Bursa 16140, Turkey

Equipment: Diaphragm sealed pressure sensor types: 0560-25 or 40-1-x-x, 0564-25, 32, 40, 50 or 80-1-x-x and 0568-33, 48, 59, 75 or 88-1-x-x.

Other essential identification: The x in the Model codes defines surface roughness and readout options.


Evaluated by:

Name: Andrew Timperley, Chairman Sub-Com Certification

Date, Signature: 29.05.2026, 

Approved by:

Name: Dr. Jürgen Hofmann, Vice Chairman on behalf of the Sub-Com Certification

Date, Signature: 29.05.2026, 

The use of the EHEDG Certification logo is justified based on the results of the design evaluation, inspection, and testing (as applicable) of the equipment for compliance with the current EHEDG Hygienic Design Criteria (HDC):

Criteria	Certification for use in Closed Processes
<input checked="" type="checkbox"/>	The equipment complies with all applicable HDC in the Guidelines.
<input type="checkbox"/>	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2.
<input type="checkbox"/>	Evidence for compliance required and provided by in-place cleanability test method according to EHEDG Doc. 2, in-place sterilisability test method according to EHEDG Doc. 5, and bacteria tightness test according to EHEDG Doc. 7 for EL ASEPTIC Certification.
Criteria	Certification for use in Open Processes
<input type="checkbox"/>	The equipment complies with all applicable HDC in the Guidelines.
<input type="checkbox"/>	Evidence for compliance required and provided by OPC cleanability test method according to EHEDG Doc. 57.

APPENDIX 3

No.	Description
1.	EHEDG Certificate of Compliance
2.	Contract to use the EHEDG Certification Logo.
3.	Appendix 1: Equipment intended for cleaning in-place with liquids without dismantling.
4.	Appendix 2: Conditions for use of the EHEDG Certification Logo.
5.	Appendix 3: Equipment Evaluation Form.
6.	EHEDG Hygienic Design Criteria Evaluation Report 10.05.2026.
7.	Official drawings, signed stamped and dated, depicting design details: Connection drawing numbers: 0560 25 1 1 1 00, 0564 25 1 1 1 00 and 0568 48 1 1 1 00. Diaphragm profile drawing numbers: 0570 00 05 02, 0565 25 05 02, 0565 32 05 02, 0522 00 06 02, 0502 00 05 02 and 0500 00 05 02.
8.	Installation and cleaning instructions. Document numbers: SRT.02.33/00, SRT.02.34/00 and SRT.02.35/00.
9.	Example of EHEDG EL Class I Logo with Month and Year.